

THEONE[®]



泽万金属



Tianjin TheOne Metal Products Co.,Ltd

2024 Version

公司简介

- 2010年建厂，厂房面积25000 m²
- 拥有ISO9001、CE等专业认证，且产品符合SAE,DIN标准
- 产品自动化生产高达80%
- 致力于推广自己品牌-THEONE，且已在欧盟注册
- 坚持不断完善提升，为客户提供更优质的产品和服务



PROFILE

- Established in 2010, covered with 25000 m² workshop
- Qualified with ISO9001 and CE certifications , and comply with SAE, DIN standard
- 80% of clamps are produced by automotive machines
- Committed to promoting our own brand - THEONE, which registered in the European Union
- Insist on continuous improvement and upgrading ,provide better products and services



证书

Certificates



生产车间

Production workshop



自动化设备 - Automatic machine



仓库 - Warehouse


实验设备
Experimental equipment



拉力检测仪 -Tensile Testing Machine 硬度检测仪 -The equipment for hardness testing



镀层测厚仪 -The equipment for zinc plated thickness testing



光谱仪 -To test the composition of raw material



盐雾试验机 -Salt spray testing machine

包装
Packaging Type






目录
Catalogue



Single Bolt Pipe Clamp

- For Heavy duty applications where large tightening forces are required
- Rolled edge to prevent hose damage
- Easy installation-a bolt is used for tightening not a nut which ensures full travel when using a socket
- Solid trunnions with hex head bolt
- Superior sealing-tighter seals at lower bolt torques


Bag

Barcode Tagged

Carded

Box

Box

Carton


Bandwidth (mm)	Thickness (mm)		Dia (mm)	Bolt	Package		W1 G.W/Ctn (kg)	W2/W4/W5 G.W/Ctn (kg)	Ctn Size (cm)
	W1	W2/W4/W5			Pcs/Bag	Pcs/Ctn			
18	0.6	0.6	17-19	M5	10	250	10.13	10.25	32*27*13
			20-22	M5	10	250	10.38	10.50	38*27*11
			23-25	M5	10	250	10.63	10.75	38*27*13
			26-28	M5	10	250	11.20	11.10	38*27*13
20	0.8	0.6	29-31	M6	10	200	10.90	10.80	38*27*15
			32-35	M6	10	200	12.28	11.00	38*27*17
			36-39	M6	10	200	13.98	11.20	38*27*19
			39-41	M6	10	200	14.52	11.40	38*27*19
			40-43	M6	10	200	14.94	11.60	38*27*19
			44-47	M6	10	200	17.30	14.80	38*27*24
22	1.2	0.8	48-51	M6	10	200	18.02	15.00	38*27*24
			52-55	M6	10	200	18.76	15.20	38*27*27
			56-59	M6	10	100	10.02	8.00	38*27*15
			60-63	M6	10	100	10.52	8.20	38*27*17
			64-67	M6	10	100	12.92	8.30	38*27*19
			68-73	M8	10	100	15.64	11.90	38*27*24
24	1.5	0.8	74-79	M8	10	100	16.09	12.40	38*27*24
			80-85	M8	10	100	16.40	12.60	38*27*29
			86-91	M8	10	100	17.02	12.90	38*27*34
			92-97	M8	10	100	17.53	13.20	40*37*28
			98-103	M8	10	100	18.32	13.80	40*37*30
			104-112	M8	10	100	19.63	14.50	40*37*35
			113-121	M8	10	100	19.91	14.60	40*37*35
			122-130	M8	5	50	10.25	7.40	38*27*34
26	1.7	1.0	131-139	M10	5	50	11.43	10.05	40*37*30
			140-148	M10	5	50	15.24	10.45	40*37*30
			149-161	M10	5	50	15.9	10.9	40*37*30
			162-174	M10	5	50	16.4	11.1	40*37*35
			175-187	M10	5	25	8.29	5.78	40*37*28
			188-200	M10	5	25	8.42	6.03	40*37*28
			201-213	M10	5	25	9.42	6.23	40*37*28
			214-226	M10	5	25	9.78	6.45	40*37*28
			227-239	M10	5	25	10.15	6.73	40*37*30
			240-252	M10	5	25	10.52	6.90	40*37*30

Note:

- 1.TORG: W1-all the parts are carbon steel
- 2.TORS: W2-band and bridge plate are SS200 or SS300 series,others are carbon steel
- 3.TORSS: W4-all the parts are SS200 or SS300 series
- 4.TORSSV: W5-all the parts are SS316

Double Bolt Pipe Clamp

- Most powerful clamp with double band design
- Easy and quick assembly with two internal hexagon type of screw , and a swiveling bridge
- Fitted after the hose is connected to the spigot



Bag	Barcode Tagged	Carded	Box	Box	Carton	
Dia(mm)	Bolt	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
30-40	M6	20	1.0	100	33*28*14	10.85
35-45	M6	20	1.0	100	33*28*14	11.20
40-50	M6	20	1.0	100	39*28*14	11.55
45-55	M6	20	1.0	100	39*28*16	12.45
50-60	M6	20	1.0	100	39*28*10	12.65
55-65	M6	20	1.0	100	39*28*20	13.50
60-70	M6	20	1.0	100	39*28*20	13.70
65-75	M6	20	1.0	50	33*24*14	7.15
70-80	M6	20	1.0	50	39*28*14	7.50
75-85	M6	20	1.0	50	39*28*16	7.75
80-90	M6	20	1.0	50	39*28*18	8.10
85-95	M6	20	1.0	50	39*28*20	8.40
90-100	M8	24	1.0	50	39*28*22	12.05
100-110	M8	24	1.0	50	39*28*25	12.45
110-120	M8	24	1.0	50	39*28*28	13.20
120-130	M8	24	1.0	50	38*27*29	14.21
130-140	M8	24	1.0	50	38*27*34	15.23
140-150	M8	24	1.0	25	38*27*24	10.13
150-160	M8	24	1.0	25	38*27*27	11.36
160-170	M8	24	1.0	25	38*27*29	12.35
170-180	M8	24	1.0	25	38*27*29	13.46
180-190	M8	24	1.0	25	38*27*34	14.98
190-200	M8	24	1.0	25	40*37*28	16.02
200-210	M8	24	1.0	25	40*37*28	17.36
210-220	M8	24	1.0	25	40*37*30	18.53
220-230	M8	24	1.0	25	40*37*35	19.89
230-240	M8	24	1.0	20	38*27*29	14.65
240-250	M8	24	1.0	20	38*27*34	15.02
250-260	M8	24	1.0	20	38*27*34	16.32
260-270	M8	24	1.0	20	40*37*28	17.56
270-280	M8	24	1.0	20	40*37*30	18.06
290-300	M8	24	1.0	20	40*37*35	19.65

Note:

- 1.TODDG:W1-all the parts are carbon steel
- 2.TODDSS:W4-all the parts are SS200 or SS300 series
- 3.TODDSSV:W5-all the parts are SS316

Single Bolt Pipe Clamp With Handle



Bag



Barcode Tagged



Carded



Box



Box



Carton


Bandwidth (mm)	Thickness (mm)	Dia (mm)	Package	
			Pcs/Bag	Pcs/Ctn
18	0.6	17 - 19	10	250
		20 - 22	10	250
		23 - 25	10	250
		26 - 28	10	250
20	0.8	29 - 31	10	200
		32 - 35	10	200
		36 - 39	10	200
		39 - 41	10	200
		40 - 43	10	200
22	1.2	44 - 47	10	200
		48 - 51	10	200
		52 - 55	10	200
		56 - 59	10	100
		60 - 63	10	100
24	1.5	64 - 67	10	100
		68 - 73	10	100
		74 - 79	10	100
		80 - 85	10	100
		86 - 91	10	100
		92 - 97	10	100
		98 - 103	10	100
		104 - 112	10	100
		113 - 121	10	100
		122 - 130	5	50
26	1.7	131 - 139	5	50
		140 - 148	5	50
		149 - 161	5	50
		162 - 174	5	50
		175 - 187	5	25
		188 - 200	5	25
		201 - 213	5	25
		214 - 226	5	25
		227 - 239	5	25
		240 - 252	5	25

Note:

Material: handle is aluminum, others are carbon steel.

Single Bolt Double Band Pipe Clamp

- For automotive performance and general applications including turbo charging, intercooler, air intake, radiator and exhaust pipes
- Bands can withstand extremely high tensile forces




Bag	Barcode Tagged	Carded	Box	Box	Carton
Dia (mm)	Bandwidth (mm)	Thickness (mm)			
35 - 40	20	1.0			
40 - 45	20	1.0			
45 - 50	20	1.0			
50 - 55	20	1.0			
55 - 60	20	1.0			
60 - 65	20	1.0			
65 - 70	20	1.0			
70 - 75	20	1.0			
75 - 80	20	1.0			
80 - 85	20	1.0			
85 - 90	20	1.0			
90 - 95	20	1.0			
95 - 100	20	1.0			
100 - 105	20	1.0			
105 - 110	20	1.0			
110 - 115	20	1.0			
115 - 120	20	1.0			
120 - 125	20	1.0			
125 - 130	20	1.0			
130 - 135	20	1.0			
135 - 140	20	1.0			
140 - 145	20	1.0			
145 - 150	20	1.0			
150 - 155	20	1.0			
155 - 160	20	1.0			

Note:

- 1.W1-all the parts are carbon steel
- 2.W4-all the parts are SS200 or SS300 series
- 3.W5-all the parts are SS316

T Bolt Pipe Clamp

- To provide a quick, yet effective means of clamping a variety of fittings to a wide range of hose
- They provide 360° sealing surface by using a shoe or formed bridge
- It is a high strength, reliable clamp with numerous applications in both the commercial and industrial markets including hose and ductwork connections for air, oil, water, other types of low pressure fluid lines, engine air intake, exhaust, hose and filters


Bag

Barcode Tagged

Carded

Box

Box

Carton


Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
35-40	19	0.6	10	250	38*27*27	13.70
38-43	19	0.6	10	250	38*27*27	13.90
41-46	19	0.6	10	250	38*27*27	14.10
42-49	19	0.6	10	250	38*27*27	14.20
47-54	19	0.6	10	250	38*27*29	14.80
52-60	19	0.6	10	250	38*27*34	15.60
56-64	19	0.6	10	250	40*37*28	15.85
59-67	19	0.6	10	250	40*37*28	15.95
63-71	19	0.6	10	250	40*37*28	16.35
70-78	19	0.6	10	250	40*37*30	17.00
74-83	19	0.6	10	250	40*37*35	17.65
80-89	19	0.6	10	250	40*37*40	18.15
86-95	19	0.6	10	250	40*37*40	18.50
92-101	19	0.6	10	200	40*37*30	15.20
96-104	19	0.6	10	100	38*27*29	7.70
109-117	19	0.6	10	100	38*27*29	8.54
116-124	19	0.6	5	100	40*37*28	8.73
122-130	19	0.6	5	100	40*37*28	9.00
129-136	19	0.6	5	100	40*37*30	9.20
132-140	19	0.6	5	100	40*37*30	9.50
138-146	19	0.6	5	100	40*37*30	9.77
141-149	19	0.6	5	100	40*37*30	9.86
147-155	19	0.6	5	100	40*37*30	10.02
154-162	19	0.6	5	100	40*37*30	10.22
160-168	19	0.6	5	50	38*27*27	5.20
166-174	19	0.6	5	50	38*27*27	5.28
173-181	19	0.6	5	50	38*27*27	5.38
179-187	19	0.6	5	50	38*27*29	5.46
187-195	19	0.6	5	50	38*27*29	5.57

Note:

- 1.TOTS:W2-band,bridge plate and t-joint are SS200 or SS300 series, others are carbon steel
- 2.TOTSS:W4-all the parts are SS200 or SS300 series
- 3.TOTSSV:W5-all the parts are SS316

T Bolt Spring Pipe Clamp

- This clamps design compensates and provides constant tension to prevent leak paths due to temperature fluctuations.
- Typical applications include heavy truck charge air and cooling systems.




Bag	Barcode Tagged	Carded	Box	Box	Carton
Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
46-52	19	0.6	250	38*27*27	19.07
49-57	19	0.6	250	38*27*27	19.43
52-60	19	0.6	250	38*27*27	19.64
56-64	19	0.6	250	38*27*27	19.92
59-67	19	0.6	250	38*27*27	20.13
65-73	19	0.6	250	38*27*29	20.55
71-79	19	0.6	250	40*37*40	20.97
76-84	19	0.6	250	40*37*40	21.32
78-86	19	0.6	250	40*37*40	21.46
83-91	19	0.6	250	40*37*40	21.81
90-98	19	0.6	200	40*37*40	17.84
92-100	19	0.6	200	40*37*40	17.96
103-111	19	0.6	200	40*37*40	18.58
109-117	19	0.6	100	38*27*27	9.46
116-124	19	0.6	100	38*27*27	9.65
122-130	19	0.6	100	38*27*27	9.82
129-136	19	0.6	100	38*27*27	9.99
132-140	19	0.6	100	40*37*34	10.10
138-146	19	0.6	100	40*37*34	10.27
141-149	19	0.6	100	40*37*30	10.36
147-155	19	0.6	100	40*37*30	10.52
154-162	19	0.6	100	40*37*30	10.72
160-168	19	0.6	50	38*27*27	5.44
166-174	19	0.6	50	38*27*27	5.53
173-181	19	0.6	50	38*27*27	5.63
179-187	19	0.6	50	38*27*27	5.71
187-195	19	0.6	50	38*37*34	5.82

Note:

- 1.TOSTS: W2-band,bridge plate and t-joint are SS200 or SS300 series , others are carbon steel
- 2.TOSTSS:W4 -all the parts are SS200 or SS300 series
- 3.TOSTSSV: W5 -all the parts are SS316

German Type Hose Clamp-9mm

- For automotive and general purpose use
- Heavy duty, non perforated band
- Rolled edge and underside to prevent hose damage



Bag



Barcode Tagged



Carded



Box



Box



Carton


Dia (mm)	Bandwidth (mm)	Thickness (mm)		Package		Ctn Size (cm)	G.W./Ctn (kg)
		W1	W2/W4/W5	Pcs/Bag	Pcs/Ctn		
8-12	9	0.7	0.6	100	1000	31*22*13	11.50
10-16	9	0.7	0.6	100	1000	32*28*13	12.10
12-22	9	0.7	0.6	100	1000	38*27*15	13.00
16-25	9	0.7	0.6	100	1000	38*27*15	13.80
20-32	9	0.7	0.6	50	1000	38*27*24	16.80
25-40	9	0.7	0.6	50	500	38*27*17	9.20
30-45	9	0.7	0.6	50	500	38*27*24	9.55
32-50	9	0.7	0.6	50	500	38*27*24	9.90
40-60	9	0.7	0.6	20	500	38*27*29	10.25
50-70	9	0.7	0.6	20	500	38*27*34	11.80
60-80	9	0.7	0.6	20	500	40*37*28	12.77
70-90	9	0.7	0.6	20	500	40*37*35	13.80
80-100	9	0.7	0.6	20	200	38*27*24	6.04
90-110	9	0.7	0.6	20	200	38*27*24	6.30
100-120	9	0.7	0.6	20	200	38*27*27	6.70
110-130	9	0.7	0.6	20	200	38*27*29	7.07
120-140	9	0.7	0.6	20	200	38*27*29	7.29
130-150	9	0.7	0.6	20	200	38*27*34	7.70
140-160	9	0.7	0.6	10	200	38*27*34	8.25
150-170	9	0.7	0.6	10	200	38*27*34	8.60
160-180	9	0.7	0.6	10	200	40*37*30	8.58
170-190	9	0.7	0.6	10	200	40*37*35	8.84
180-200	9	0.7	0.6	10	100	40*37*30	4.55

Note:

- 1.TOGNG: W1-all the parts are carbon steel
- 2.TOGNS: W2-band and housing are SS200 or SS300 series ,screw is carbon steel
- 3.TOGNSS: W4-all the parts are SS200 or SS300 series
- 4.TOGNSSV: W5 -all the parts are SS316

German Type Hose Clamp -12mm

- Standard DIN 3017 non-perforated.
- A sympathetic design helps guard against hose impingement
- Mooth low friction worm drive allows for a strong clamping force.
- Most popular hose clip currently in use worldwide




Dia (mm)	Bandwidth (mm)	Thickness (mm)		Package		Ctn Size (cm)	G.W./Ctn (kg)
		W1	W2/W4/W5	Pcs/Bag	Pcs/Ctn		
12-20	12	0.7	0.6	100	1000	38*27*20	17.25
16-25	12	0.7	0.6	100	1000	38*27*24	19.13
20-32	12	0.7	0.6	50	1000	38*27*27	19.38
25-40	12	0.7	0.6	50	500	38*27*21	10.40
30-45	12	0.7	0.6	50	500	38*27*24	10.90
32-50	12	0.7	0.6	50	500	38*27*29	11.30
40-60	12	0.7	0.6	20	500	38*27*29	11.80
50-70	12	0.7	0.6	20	500	40*37*28	12.50
60-80	12	0.7	0.6	20	500	40*37*30	13.50
70-90	12	0.7	0.6	20	500	40*37*35	14.80
80-100	12	0.7	0.6	10	250	38*27*29	7.86
90-110	12	0.7	0.6	10	250	40*37*30	8.40
100-120	12	0.7	0.6	10	250	40*37*35	8.80
110-130	12	0.7	0.6	10	250	40*37*35	9.30
120-140	12	0.7	0.6	10	200	38*27*29	7.71
130-150	12	0.7	0.6	10	200	38*27*34	8.06
140-160	12	0.7	0.6	10	200	40*37*30	8.80
150-170	12	0.7	0.6	10	200	40*37*35	9.20
160-180	12	0.7	0.6	10	200	40*37*38	9.60
170-190	12	0.7	0.6	10	100	38*27*19	4.74
180-200	12	0.7	0.6	10	100	38*27*21	4.91
190-210	12	0.7	0.6	10	100	38*27*21	5.80
200-220	12	0.7	0.6	10	100	38*27*24	6.00
210-230	12	0.7	0.6	10	100	38*27*27	6.20

Note :

- 1.TOGTG: W1-all the parts are carbon steel
- 2.TOGTS: W2-band and housing are SS200 or SS300 series ,screw is carbon steel
- 3.TOGTSS: W4-all the parts are SS200 or SS300 series
- 4.TOGTSSV: W5-all the parts are SS316

German Type Hose Clamp With Handle-9mm

- For automotive and general purpose use
- Simplicity of operator
- Have a wide fastening range
- Rolled edge and underside to prevent hose damage
- Technically advanced design for superior sealing



Bag



Barcode Tagged



Carded



Box



Box



Bulk

Dia (mm)	Bandwidth (mm)	Thickness (mm)		Package		Ctn Size (cm)	G.W./Ctn (kg)
		W1	W2/W4/W5	Pcs/Bag	Pcs/Ctn		
8-12	9	0.7	0.6	100	1000	31*22*13	12.50
10-16	9	0.7	0.6	100	1000	32*28*13	13.10
12-22	9	0.7	0.6	100	1000	38*27*17	14.00
16-25	9	0.7	0.6	100	1000	38*27*17	14.80
20-32	9	0.7	0.6	50	1000	38*27*27	17.80
25-40	9	0.7	0.6	50	500	38*27*19	10.20
30-45	9	0.7	0.6	50	500	38*27*27	10.55
32-50	9	0.7	0.6	50	500	38*27*27	10.90
40-60	9	0.7	0.6	20	500	38*27*34	11.25
50-70	9	0.7	0.6	20	500	40*37*28	12.80
60-80	9	0.7	0.6	20	500	40*37*30	13.77
70-90	9	0.7	0.6	20	500	40*37*40	14.80
80-100	9	0.7	0.6	20	200	38*27*27	7.04
90-110	9	0.7	0.6	20	200	38*27*27	7.30
100-120	9	0.7	0.6	20	200	38*27*29	7.70
110-130	9	0.7	0.6	20	200	38*27*34	8.07
120-140	9	0.7	0.6	20	200	38*27*34	8.29
130-150	9	0.7	0.6	20	200	40*37*28	8.70
140-160	9	0.7	0.6	10	200	40*37*28	9.25
150-170	9	0.7	0.6	10	200	40*37*28	9.60
160-180	9	0.7	0.6	10	200	40*37*35	9.58
170-190	9	0.7	0.6	10	200	40*37*40	9.84
180-200	9	0.7	0.6	10	100	40*37*35	5.55

Note:

Clamp:

1.TOGHNG-W1-all the parts are carbon steel

2.TOGHNS-W2-band and housing are SS200 or SS300 series,screw is carbon steel



3.TOGHNSS-W4-all the parts are SS200 or SS300 series

4.TOGHNSSV-W5-all the parts are SS316

Handle: plastic/carbon steel/stainless steel

German Type Hose Clamp With Handle-12mm

-This clamps innovative design installs with a simple hand twist, no tools required.
 -It's easy to remove and replace. Pull off screw cap for a tamper-resistant connection.
 -It is used for Automotive /Radiator/Garden hose/R.V.Sewer/Dryer Vent



Dia (mm)	Bandwidth (mm)	Thickness (mm)		Package		Ctn Size (cm)	G.W./Ctn (kg)
		W1	W2/W4/W5	Pcs/Bag	Pcs/Ctn		
12 -20	12	0.7	0.6	100	1000	38*27*24	18.25
16 -25	12	0.7	0.6	100	1000	38*27*27	19.13
20 -32	12	0.7	0.6	50	1000	38*27*29	20.38
25 -40	12	0.7	0.6	50	500	38*27*24	11.40
30 -45	12	0.7	0.6	50	500	38*27*34	11.90
32 -50	12	0.7	0.6	50	500	40*37*28	12.30
40 -60	12	0.7	0.6	20	500	40*37*28	12.80
50 -70	12	0.7	0.6	20	500	40*37*30	13.50
60 -80	12	0.7	0.6	20	500	40*37*35	14.50
70 -90	12	0.7	0.6	20	500	40*37*40	15.80
80 -100	12	0.7	0.6	10	250	38*27*34	8.86
90 -110	12	0.7	0.6	10	250	40*37*35	9.40
100 -120	12	0.7	0.6	10	250	40*37*40	9.80
110 -130	12	0.7	0.6	10	250	40*37*40	10.30
120 -140	12	0.7	0.6	10	200	38*27*34	8.71
130 -150	12	0.7	0.6	10	200	40*37*28	9.06
140 -160	12	0.7	0.6	10	200	40*37*35	9.80
150 -170	12	0.7	0.6	10	200	40*37*40	10.20
160 -180	12	0.7	0.6	10	200	40*37*40	10.60
170 -190	12	0.7	0.6	10	100	38*27*21	5.74
180 -200	12	0.7	0.6	10	100	38*27*24	5.91
190 -210	12	0.7	0.6	10	100	38*27*24	6.80
200 -220	12	0.7	0.6	10	100	38*27*29	7.00
210 -230	12	0.7	0.6	10	100	38*27*34	7.20


Note:

Clamp:

- 1.TOGHTG: W1-all the parts are carbon steel
- 2.TOGHTS: W2-band and housing are SS200 or SS300 series ,screw is carbon steel
- 3.TOGHTSS: W4-all the parts are SS200 or SS300 series
- 4.TOGHTSSV: W5-all the parts are SS316

Handle: plastic/carbon steel/stainless steel.

Partial Head German Type Hose Clamp



Bag



Barcode Tagged



Carded



Box



Box




Carton

Dia (mm)	Bandwidth (mm)	Thickness (mm)		Package	
		W1	W2/W4/W5	Pcs/Bag	Pcs/Cm
8-12	9/12	0.8	0.7	100	1000
10-16	9/12	0.8	0.7	100	1000
12-22	9/12	0.8	0.7	100	1000
16-27	9/12	0.8	0.7	100	1000
20-32	9/12	0.8	0.7	50	1000
25-40	9/12	0.8	0.7	50	500
30-45	9/12	0.8	0.7	50	500
35-50	9/12	0.8	0.7	50	500
40-60	9/12	0.8	0.7	50	500
50-70	9/12	0.8	0.7	50	500
60-80	9/12	0.8	0.7	10	500
70-90	9/12	0.8	0.7	10	500
80-100	9/12	0.8	0.7	10	250
90-110	9/12	0.8	0.7	10	250
100-120	9/12	0.8	0.7	10	250
110-130	9/12	0.8	0.7	10	250
120-140	9/12	0.8	0.7	10	250
130-150	9/12	0.8	0.7	10	250
140-160	9/12	0.8	0.7	10	200

Note:

- Material : W1-all the parts are carbon steel
- W2-band and housing are SS430, screw is carbon steel
- W3-band and housing are SS430, screw is SS410
- W4-all the parts are SS304
- W5-all the parts are SS316

Partial Head German Type Hose Clamp With Spring



Dia(mm)	Bandwidth (mm)	Thickness (mm)	Package	
			Pcs/Bag	Pcs/Ctn
8-12	9/12	0.7	100	1000
10-16	9/12	0.7	100	1000
12-22	9/12	0.7	100	1000
16-27	9/12	0.7	100	1000
20-32	9/12	0.7	50	1000
25-40	9/12	0.7	50	500
30-45	9/12	0.7	50	500
35-50	9/12	0.7	50	500
40-60	9/12	0.7	50	500
50-70	9/12	0.7	50	500
60-80	9/12	0.7	10	500
70-90	9/12	0.7	10	500
80-100	9/12	0.7	10	250
90-110	9/12	0.7	10	250
100-120	9/12	0.7	10	250
110-130	9/12	0.7	10	250
120-140	9/12	0.7	10	250
130-150	9/12	0.7	10	250
140-160	9/12	0.7	10	200

Note:

Clamp:W2-band and housing are SS430, screw is carbon steel


W3-band and housing are SS430, screw is SS410

W4-all the parts are SS304

W5-all the parts are SS316

Spring: stainless steel

Heavy Duty German Type Hose Clamp



Bag



Barcode Tagged



Carded



Box



Box



Carton


Dia (mm)	Bandwidth (mm)	Thickness (mm)
30 -45	20	1.0
32 -50	20	1.0
40 -60	20	1.0
50 -70	20	1.0
60 -80	20	1.0
70 -90	20	1.0
80 -100	20	1.0
90 -110	20	1.0
100 -120	20	1.0
110 -130	20	1.0
120 -140	20	1.0
130 -150	20	1.0
140 -160	20	1.0
150 -170	20	1.0
160 -180	20	1.0
170 -190	20	1.0
180 -200	20	1.0

Note:

- 1.W1-all the parts are carbon steel
- 2.W4-all the parts are SS200 or SS300 series

American Type Hose Clamp -8mm & 12.7mm

- Generally used in small diameter applications Such as air & fuel lines
- The perfect clamp for automobiles ,plumbing ,home and garden
- Assists with high speed assembly on production lines
- Especially suited to industrial applications




Bag		Barcode Tagged		Carded		Box		Box		Carton	
Dia (mm)	Inch Dia	Bandwidth (mm)	Thickness(mm)		Package		Ctn Size (cm)	G.W./Ctn (kg)			
			W1	W2/W4/W5	Pcs/Bag	Pcs/Ctn					
8-12	1/2"	8	0.6	0.6	100	2000	38*27*14	11.80			
10-16	5/8"	8	0.6	0.6	100	2000	38*27*19	12.60			
13-19	3/4"	8	0.6	0.6	100	2000	38*27*19	13.20			
13-23	7/8"	8	0.6	0.6	100	2000	38*27*21	13.80			
16-25	1"	8	0.6	0.6	100	2000	38*27*21	14.40			
18-32	1-1/4"	12.7	0.7	0.6	100	1000	39*28*28	19.00			
21-38	1-1/2"	12.7	0.7	0.6	100	1000	39*28*35	20.52			
21-44	1-3/4"	12.7	0.7	0.6	50	500	39*28*25	11.08			
27-51	2"	12.7	0.7	0.6	50	500	39*28*35	11.58			
33-57	2-1/4"	12.7	0.7	0.6	50	500	39*28*35	12.14			
40-64	2-1/2"	12.7	0.7	0.6	50	500	41*38*29	12.82			
46-70	2-3/4"	12.7	0.7	0.6	50	500	41*38*29	13.20			
52-76	3"	12.7	0.7	0.6	50	500	41*38*29	13.76			
59-83	3-1/4"	12.7	0.7	0.6	50	500	41*38*36	14.52			
65-89	3-1/2"	12.7	0.7	0.6	25	250	39*28*33	7.72			
72-95	3-3/4"	12.7	0.7	0.6	25	250	39*28*35	8.95			
78-101	4"	12.7	0.7	0.6	25	250	39*28*35	8.34			
84-108	4-1/4"	12.7	0.7	0.6	25	250	39*28*35	8.62			
91-114	4-1/2"	12.7	0.7	0.6	25	250	41*38*31	8.98			
105-127	5"	12.7	0.7	0.6	20	200	41*38*31	7.84			
117-140	5-1/2"	12.7	0.7	0.6	20	200	41*38*31	8.42			
130-153	6"	12.7	0.7	0.6	20	200	41*38*31	8.72			
142-165	6-1/2"	12.7	0.7	0.6	20	200	41*38*31	9.24			
155-178	7"	12.7	0.7	0.6	20	200	41*38*31	9.78			

Note:

- TOATG:W1-all the parts are carbon steel
- TOATS:W2-band and housing are SS200 or SS300 series,screw is carbon steel
W2-band is SS200 or SS300 series,housing and screw are carbon steel
- TOATSS:W4-all the parts are SS200 or SS300 series
- TOATSSV:W5-all the parts are SS316

American Type Hose Clamp With Handle -8mm&10mm

- Innovative design installs with a simple hand twist, no tools required.
- Easy to remove and replace
- Pull off the screw cap for a tamper-resistant connection.



Bag



Barcode Tagged



Carded



Box



Box



Carton

Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
8-12	8	0.6	100	2000	38*27*27	15.00
10-16	8	0.6	100	2000	38*27*27	15.50
13-19	8	0.6	100	2000	38*27*27	15.90
16-25	8	0.6	100	2000	38*27*34	16.80
19-29	8	0.6	100	1000	38*27*24	9.40
22-32	8	0.6	100	1000	38*27*29	11.05
25-38	8	0.6	100	1000	38*27*34	12.00
32-44	10	0.6	100	1000	36*28*30	11.50
27-51	10	0.6	100	1000	36*29*30	12.30
38-57	10	0.6	50	1000	36*28*32	13.40
44-64	10	0.6	50	1000	36*30*34	14.00
51-70	10	0.6	25	500	36*28*38	14.60
64-76	10	0.6	25	500	42*34*33	15.20
70-89	10	0.6	25	250	39*28*32	9.00
76-92	10	0.6	25	250	39*30*34	10.20
80-100	10	0.6	10	200	51*28*22	8.20

Note:

Clamp:

1.TOAHS: W2 -band and housing are SS200 or SS300 series , screw is carbon steel

W2-band is SS200 or SS300 series,housing and screw are carbon steel


2.TOAHS: W4 -all th parts are SS200 or SS300 series

3.TOAHS: W5 -all th parts are SS316

Handle: plastic /carbon steel /stainless steel

European Type Hose Clamp-12.7mm

- General purpose automotive and industrial clamps
- High strength 4-piece quadra-lock construction
- Exceeds all SAE requirements
- Use for all standard clamp applications




Bag		Barcode Tagged		Carded		Box		Box		Carton	
Dia (mm)	Inch Dia	Bandwidth (mm)	Thickness(mm)		Package		Ctn Size (cm)	W1 G.W./Ctn (kg)	W4/W5 G.W./Ctn (kg)		
			W1	W4/W5	Pcs/Bag	Pcs/Ctn					
10-16	5/8"	12.7	0.7	0.6	100	1000	38*27*24	16.60	14.80		
13-19	3/4"	12.7	0.7	0.6	100	1000	38*27*29	17.80	16.40		
16-25	1"	12.7	0.7	0.6	100	1000	38*27*29	19.00	18.00		
19-29		12.7	0.7	0.6	100	1000	38*27*34	20.20	18.50		
22-32	1 1/4"	12.7	0.7	0.6	50	1000	40*37*28	21.20	19.90		
25-38	1 1/2"	12.7	0.7	0.6	50	1000	40*37*30	22.30	20.90		
32-44	1 3/4"	12.7	0.7	0.6	50	500	38*27*21	11.95	11.25		
35-51	2"	12.7	0.7	0.6	50	500	38*27*24	12.55	11.70		
38-57	2 1/4"	12.7	0.7	0.6	25	500	38*27*29	13.45	12.15		
44-64	2 1/2"	12.7	0.7	0.6	25	500	38*27*34	14.10	12.65		
51-70	2 3/4"	12.7	0.7	0.6	25	500	40*37*28	14.95	13.45		
64-76	3"	12.7	0.7	0.6	25	500	40*37*30	15.70	14.85		
70-89	3 1/2"	12.7	0.7	0.6	25	250	38*27*15	8.48	7.45		
76-92	3 3/4"	12.7	0.7	0.6	25	250	38*27*17	8.78	7.90		
80-100	4"	12.7	0.7	0.6	10	250	38*27*19	9.15	8.28		
90-110	4 1/4"	12.7	0.7	0.6	10	250	38*27*21	9.80	8.98		
100-120	4 3/4"	12.7	0.7	0.6	10	250	38*27*24	10.43	9.28		
110-130	5 1/4"	12.7	0.7	0.6	10	250	38*27*29	11.20	9.73		
120-140	5 1/2"	12.7	0.7	0.6	10	250	38*27*34	11.63	10.08		
130-150	6"	12.7	0.7	0.6	10	250	40*37*28	12.08	10.28		
140-160	6 1/2"	12.7	0.7	0.6	10	250	40*37*30	12.55	10.75		
150-170		12.7	0.7	0.6	10	200	38*27*34	10.48	9.26		
160-180		12.7	0.7	0.6	10	200	40*37*28	10.96	9.80		

Note:

- 1.TOETG:W1-all the parts are carton steel
- 2.TOETSS:W4-all the parts are SS200 or SS300 series
- 3.TOETSSV:W5-all the parts are SS316

European Type Hose Clamp-14.2mm

- For heavy duty use such as industrial ,agricultural and truck applications and truck applications
- Features a wider band and housing
- Constructed of heavier gauge material than a standard perforated band clamp



Bag



Barcode Tagged



Carded



Box



Box



Carton

Dia (mm)	Inch Dia	Bandwidth (mm)	Thickness(mm)		Package		Ctn Size (cm)	W1 G.W./Ctn (kg)	W4/W5 G.W./Ctn (kg)
			W1	W4/W5	Pcs/Bag	Pcs/Ctn			
10 -16	5/8"	14.2	0.7	0.6	100	1000	38*27*24	16.60	14.80
13 -19	3/4"	14.2	0.7	0.6	100	1000	38*27*29	17.80	16.40
16 -25	1"	14.2	0.7	0.6	100	1000	38*27*29	19.00	18.00
19 -29		14.2	0.7	0.6	100	1000	38*27*34	20.20	18.50
22 -32	1 1/4"	14.2	0.7	0.6	50	1000	40*37*28	21.20	19.90
25 -38	1 1/2"	14.2	0.7	0.6	50	1000	40*37*30	22.30	20.90
32 -44	1 3/4"	14.2	0.7	0.6	50	500	38*27*21	11.95	11.25
35 -51	2"	14.2	0.7	0.6	50	500	38*27*24	12.55	11.70
38 -57	2 1/4"	14.2	0.7	0.6	25	500	38*27*29	13.45	12.15
44 -64	2 1/2"	14.2	0.7	0.6	25	500	38*27*34	14.10	12.65
51 -70	2 3/4"	14.2	0.7	0.6	25	500	40*37*28	14.95	13.45
64 -76	3"	14.2	0.7	0.6	25	500	40*37*30	15.70	14.85
70 -89	3 1/2"	14.2	0.7	0.6	25	250	38*27*15	8.48	7.45
76 -92	3 3/4"	14.2	0.7	0.6	25	250	38*27*17	8.78	7.90
80 -100	4"	14.2	0.7	0.6	10	250	38*27*19	9.15	8.28
90 -110	4 1/4"	14.2	0.7	0.6	10	250	38*27*21	9.80	8.98
100 -120	4 3/4"	14.2	0.7	0.6	10	250	38*27*24	10.43	9.28
110 -130	5 1/4"	14.2	0.7	0.6	10	250	38*27*29	11.20	9.73
120 -140	5 1/2"	14.2	0.7	0.6	10	250	38*27*34	11.63	10.08
130 -150	6"	14.2	0.7	0.6	10	250	40*37*28	12.08	10.28
140 -160	6 1/2"	14.2	0.7	0.6	10	250	40*37*30	12.55	10.75
150 -170		14.2	0.7	0.6	10	200	38*27*34	10.48	9.26
160 -180		14.2	0.7	0.6	10	200	40*37*28	10.96	9.80

Note :



- TOETFG:W1-all the parts are carbon steel
- TOETFG:W4-all the parts are SS200 or SS300 series
- TOETFG:W5-all the parts are SS316

Heavy Duty European Type Hose Clamp

Designed for high vibration and stubborn leakage applications such as industrial machinery, heavy truck, farm and off-road equipment engines.

Features an extra wide 5/8" band and a wide profile housing that provides maximum engagement of screw threads to band.

Engineered to deliver exceptionally high rates of band tension to handle the toughest sealing jobs.



Bag	Barcode Tagged	Carded	Box	Box	Carton
Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
25-45	15.8	0.8	250	38*27*19	12.18
32-54	15.8	0.8	250	38*27*24	13.05
45-66	15.8	0.8	200	38*27*27	11.25
57-79	15.8	0.8	200	38*27*29	12.13
70-92	15.8	0.8	200	40*37*28	13.05
83-105	15.8	0.8	200	40*37*35	14.10
95-117	15.8	0.8	200	40*37*35	14.74
108-130	15.8	0.8	150	38*27*27	10.98
121-143	15.8	0.8	150	38*27*29	11.35
134-156	15.8	0.8	150	38*27*35	12.30
146-168	15.8	0.8	150	40*37*35	12.66
159-181	15.8	0.8	100	40*37*30	9.98
172-194	15.8	0.8	100	40*37*35	10.16
184-206	15.8	0.8	50	38*27*24	7.85
197-219	15.8	0.8	50	40*37*27	8.49
210-232	15.8	0.8	50	40*37*29	8.98


Note:

1.TOHESS:W4-all the parts are SS304

Constant Tension Hose Clamp

Constant tension hose clamp are designed to deal with "cooling leakage": this occurs when a hose assembly is subjected to a vigorous hot temperature causing expansion of the joint and whilst a normal hose clamp may expand to cope, the joint may come loose on cooling.

These clamps have found favour with the large engine slower moving vehicles e.g. earth movers, trucks and tractors, due to the clips tenacity in tough conditions.




 Bag	 Barcode Tagged	 Carded	 Box	 Box	 Bulk Carton
Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
25-45	15.8	0.8	200	38*27*21	18.06
32-54	15.8	0.8	200	38*27*24	19.24
45-66	15.8	0.8	200	38*27*27	19.82
57-79	15.8	0.8	200	38*27*29	20.86
70-92	15.8	0.8	200	38*27*35	21.62
83-105	15.8	0.8	100	38*27*29	11.50
95-117	15.8	0.8	100	38*27*29	12.30
108-130	15.8	0.8	100	38*27*35	12.65
121-143	15.8	0.8	100	40*37*28	13.10
134-156	15.8	0.8	100	40*37*28	13.70
146-168	15.8	0.8	50	38*27*27	7.75
159-181	15.8	0.8	50	38*27*29	8.10
172-194	15.8	0.8	50	38*27*29	8.45
184-206	15.8	0.8	50	38*27*35	8.90
197-219	15.8	0.8	50	40*37*28	9.25
210-232	15.8	0.8	50	40*37*35	9.50

Note:

- 1.TOCTS: W2-band,housing and bottom are SS300 series, others are SS410
- 2.TOCTSS: W4-all the parts are SS304

Pipe Clamp With Rubber

- A Pipe clamp with quicklock and M8/M10 nut for easy installation on bigger size
- Suitable for use in concrete, brick, wood and steel




Bag		Barcode Tagged		Carded		Box		Box		Carton	
Dia (mm)	Inch Dia	Welded Nut	Side Screw	Package (pcs/ctn)	Carton Size (cm)	Bandwidth *Thickness (mm)	G.W./Cm (kg)	Bandwidth *Thickness (mm)	G.W./Cm (kg)	Bandwidth *Thickness (mm)	G.W./Cm (kg)
15-19	3/8"	M8/M10/M8+M10	M6	200	38*27*15	20*1.2	9.77	20*1.5	11.59	20*2.0	13.28
20-25	1/2"	M8/M10/M8+M10	M6	200	38*27*17	20*1.2	10.83	20*1.5	12.83	20*2.0	14.81
26-30	3/4"	M8/M10/M8+M10	M6	200	38*27*19	20*1.2	11.72	20*1.5	13.86	20*2.0	16.09
32-36	1"	M8/M10/M8+M10	M6	200	38*27*24	20*1.2	12.78	20*1.5	15.09	20*2.0	17.63
38-43	1-1/4"	M8/M10/M8+M10	M6	100	38*27*13	20*1.2	7.01	20*1.5	8.52	20*2.0	9.71
47-51	1-1/2"	M8/M10/M8+M10	M6	100	38*27*15	20*1.2	7.71	20*1.5	9.34	20*2.0	10.73
53-58		M8/M10/M8+M10	M6	100	38*27*17	20*1.2	8.33	20*1.5	10.07	20*2.0	11.62
60-64	2"	M8/M10/M8+M10	M6	100	38*27*19	20*1.2	8.86	20*1.5	10.69	20*2.0	12.39
68-72		M8/M10/M8+M10	M6	100	38*27*21	20*1.2	9.57	20*1.5	11.51	20*2.0	13.41
75-80	2-1/2"	M8/M10/M8+M10	M6	100	38*27*24	20*1.2	10.28	20*1.5	12.34	20*2.0	14.44
81-86		M8/M10/M8+M10	M6	100	38*27*34	20*1.2	10.81	20*1.5	12.95	20*2.0	15.20
87-92		M8/M10/M8+M10	M6	100	40*37*28	20*1.2	11.34	20*1.5	13.57	20*2.0	15.97
99-105	3-1/2"	M8/M10/M8+M10	M6	50	38*27*24	20*1.2	6.24	20*1.5	7.71	20*2.0	8.82
107-112		M8/M10/M8+M10	M6	50	38*27*24	20*1.2	6.55	20*1.5	8.07	20*2.0	9.26
113-118	4"	M8/M10/M8+M10	M6	50	38*27*24	20*1.2	6.82	20*1.5	8.38	20*2.0	9.65
125-130		M8/M10/M8+M10	M6	50	38*27*29	20*1.2	7.35	20*1.5	9.00	20*2.0	10.41
132-137		M8/M10/M8+M10	M6	50	38*27*34	20*1.2	7.66	20*1.5	9.36	20*2.0	10.86
138-142	5"	M8/M10/M8+M10	M6	50	38*27*34	20*1.2	7.88	20*1.5	9.62	20*2.0	11.18
148-152		M8/M10/M8+M10	M6	50	40*37*29	20*1.2	8.32	20*1.5	10.13	20*2.0	11.82
159-166	6"	M8/M10/M8+M10	M6	50	40*37*30	20*1.2	8.94	20*1.5	10.85	20*2.0	12.71
200-212		M8/M10/M8+M10	M6	25	40*37*27	20*1.2	5.48	20*1.5	6.86	20*2.0	7.83
215-220	8"	M8/M10/M8+M10	M6	25	40*37*27	20*1.2	5.66	20*1.5	7.07	20*2.0	8.08
248-252		M8/M10/M8+M10	M6	25	40*37*30	20*1.2	6.37	20*1.5	7.89	20*2.0	9.10

Note:

- 1.TOHDD:W1-all the parts are carbon steel
- 2.TOHDDSS:W4-all the parts are SS200 or SS300 series
- 3.TOHDDSSV:W5-all the parts are SS316

Loop Hanger

- Use in the plumbing, fire protection and related industries.
- Hangers and Clamps are manufactured to meet industry standard.
- Knurled nut allows for hanger alignment and adjustment after installation




	Bag	Barcode Tagged	Carded	Box	Box	Bulk		
Dia (Inch)	Pipe Outer Diameter (mm)	Bandwidth (mm)	Thickness (mm)	Nut	Package (pcs/ctn)	Carton Size (cm)	G.W./PC (kg)	G.W./Ctn (kgs)
1"	33.5	20	1.5	M8	200	39*28*18	46.25	9.75
1-1/4"	42.25	20	1.5	M8	200	39*28*20	51	10.7
1-1/2"	48	20	1.5	M8	100	39*28*16	53	5.8
2"	60	20	1.5	M8	100	39*28*18	63	6.8
2-1/2"	75.5	20	1.5	M8	100	39*28*22	74	7.9
3"	88.8	20	1.5	M10	100	39*28*28	86.5	9.15
4"	114	20	1.5	M10	50	39*28*22	104	5.7
5"	140	20	1.5	M10	50	39*28*25	119	6.45
6"	165	20	1.5	M10	50	40*37*28	158	8.4
8"	215	20	1.5	M10	25	39*28*20	180	5

Note:

- 1.TOLHG:W1-all the parts are carbon steel
- 2.TOLHSS:W4-all the parts are SS200 or SS300 series
- 3.TOLHSSV:W5-all the parts are SS316

Strut Channel Clamp

- Designed to support and tighten pipe to struts
- Mounting pierce screw point to penetrate metal studs
- Easy to installation
- With captive combo head machine screw
- Secures tube firmly to strut channel
- Interlock edges and channel locator legs help to ensure that pipe remains in place




	 Bag	 Barcode Tagged	 Carded	 Box	 Box	 Carton	
Dia (Inch)	Pipe Outer Diameter (mm)	Bandwidth (mm)	Thickness (mm)	Screw	Package (pcs/ctn)	Carton Size (cm)	G.W./Ctn (kgs)
1/2"	21.25	32	1.7	M6*32	200	38*27*11	12.6
3/4"	26.75	32	1.7	M6*32	200	32*27*13	13.2
1"	33.5	32	1.7	M6*32	200	38*27*15	14.9
1-1/4"	42.25	32	2.0	M6*32	200	38*27*15	16.3
1-1/2"	48	32	2.0	M6*32	200	38*27*15	18.2
2"	60	32	2.0	M6*44	100	32*27*15	14.3
2-1/2"	75.5	32	2.0	M6*44	100	38*27*17	16.5
3"	88.8	32	2.5	M6*44	100	38*27*17	18.3
4"	114	32	2.5	M8*44	50	38*27*13	12.85
5"	140	32	2.5	M8*44	50	38*27*13	15.9
6"	165	32	2.5	M8*44	50	38*27*15	18.6
8"	215	32	2.5	M8*44	25	38*27*17	10.56
10"	273	32	2.5	M8*44	25	38*27*13	11.6
12"	325	32	2.5	M8*44	20	38*27*13	10.4

Note:

- 1.TOSCG:W1-all the parts are carbon steel
- 2.TOSSS:W4-all the parts are SS200 or SS300 series
- 3.TOSSV:W5-all the parts are SS316

U Bolt Clamp

- For automotive and general purpose use
- High sealing and easy installation
- Have a strong fastener force


Bag

Barcode Tagged

Carded

Box

Box

Carton

Dia (mm)	Bolt	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
25	M8	250	38*27*29	20.02
28	M8	250	38*27*29	20.15
32	M8	200	38*27*27	20.58
35	M8	200	38*27*27	20.86
38	M8	200	38*27*27	20.95
45	M8	200	38*27*29	21.00
48	M8	200	38*27*29	21.30
51	M8	200	38*27*21	21.50
64	M8	100	38*27*15	13.00
76	M8	100	38*27*19	15.50
89	M8	100	38*27*24	18.00
102	M8	50	38*27*21	10.40
127	M8	50	38*27*21	15.60
152	M8	50	38*27*29	20.20
83	M10	25	38*27*22	5.20
89	M10	25	38*27*22	5.80
95	M10	25	38*27*22	6.40
102	M10	25	38*27*22	6.90


Note:

- 1.TOUG:W1-all the parts are carbon steel
- 2.TOUSS:W4-all the parts are SS200 or SS300 series
- 3.TOUSS:W5-all the parts are SS316

V band Pipe Clamp

These parts are the most popular sizes and are frequently installed on diesel engines, turbochargers, and heavy-duty exhaust systems.

All of our standard V-band Clamps /Couplings have 300 series stainless steel bands and retainers and come with a standard T-bolt latch.



Bag	Barcode Tagged	Carded	Box	Box	Carton	
Inch Dia	Bandwidth (mm)	Thickness (mm)	Bolt	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
2"	14	1.0	M6	200	38*27*21	22.60
2.75"	14	1.0	M6	100	37*30*21	13.50
3"	19	1.2	M6	100	37*30*24	16.20
3.5"	19	1.2	M6	100	38*27*29	18.90
4"	19	1.2	M6	100	40*30*30	21.00
4.5"	19	1.2	M6	100	40*37*27	21.50
5"	19	1.2	M6	50	40*30*30	13.00
6"	19	1.2	M6	50	40*37*27	15.00

Note:

- TOVS : W2 -band and V groove are SS200 or SS300 series, others are carbon steel
- TOVSS:W4 -all the parts are SS200 or SS300 series

American Type V Band Clamp




Bag	Barcode Tagged	Carded	Box	Box	Carton	
Inch Size	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
2.16"	12.7	0.6	10	200	38*27*27	14.00
3.19"	14.2	0.6	10	150	38*27*34	15.95
3.4"	14.2	0.6	10	150	40*37*28	16.85
4.56"	14.2	0.6	10	100	40*37*28	14.75

Note:

Material: W4-all the parts are SS304

Mangote Pipe Clamp

- Suitable for heavy duty hoses or rigid material pipes, as well as PVC hoses.
- They are used in all areas of industry, home, automotive and agriculture.
- The highest clamping capacity.



Bag



Barcode Tagged



Carded



Box



Box



Carton


Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
35-40	20	1.2	200	38*27*19	12.20
39-47	20	1.2	200	38*27*21	13.35
48-56	20	1.2	100	38*27*17	7.45
54-62	20	1.2	100	38*27*19	7.65
61-69	20	1.2	100	38*27*19	8.56
67-75	20	1.2	100	38*27*21	9.32
73-81	20	1.2	100	38*27*24	9.87
79-87	20	1.2	100	38*27*24	10.33
86-94	20	1.2	100	38*27*27	10.92
105-117	20	1.2	100	40*37*30	12.50
29-32	32	1.5	100	38*27*17	12.10
35-40	32	1.5	100	38*27*19	13.50
39-47	32	1.5	100	38*27*21	14.70
48-56	32	1.5	100	38*27*21	15.20
54-62	32	1.5	100	38*27*21	16.45
61-69	32	1.5	100	38*27*27	17.15
67-75	32	1.5	100	38*27*34	18.35
73-81	32	1.5	100	38*27*34	19.10
79-87	32	1.5	100	40*37*30	20.70
86-94	32	1.5	100	40*37*30	21.20
92-100	32	1.5	100	40*37*35	21.60
99-107	32	1.5	100	40*37*35	22.30
105-117	32	1.5	50	38*27*29	11.75
111-123	32	1.5	50	38*27*34	12.10
117-129	32	1.5	50	40*27*37	12.50
130-142	32	1.5	50	40*37*28	12.70
137-149	32	1.5	50	40*37*30	13.12
143-155	32	1.5	25	38*27*29	6.90
149-161	32	1.5	25	40*37*30	7.70
162-174	32	1.5	25	40*37*30	8.50
175-188	32	1.5	25	40*37*30	9.10
187-199	32	1.5	25	40*37*35	10.50
200-212	32	1.5	25	40*37*35	12.60
213-225	32	1.5	25	40*37*40	13.60

Note

TOMGG:W1-all the parts are carton steel

Rubber Lined P Clip

- Used extensively in many industries for securing pipes, hoses and cables.
- The liner also absorbs vibration and prevents water penetration
- The snug fitting EPDM liner enables the clips to clamp the pipes, hoses and cables firmly
- Bandwidth and mounting hose sizes vary by diameter and material



Dia (mm)	Bandwidth (mm)	Thickness (mm) W1/W4/W5	Hole Dia	Package		Ctn Size (cm)	G.W./Ctn (kg)
				Pcs/bag	Pcs/Ctn		
6	12	0.6	M5	100	2000	38*27*17	12.40
8	12	0.6	M5	100	2000	38*27*21	14.20
10	12	0.6	M5	100	2000	38*27*27	17.10
13	12	0.6	M5	100	2000	38*27*29	17.73
16	12	0.6	M5	100	1000	38*27*17	10.44
19	12	0.6	M5	100	1000	38*27*24	12.10
21	12	0.6	M5	50	1000	38*27*24	13.20
25	12	0.6	M5	50	1000	38*27*29	14.16
27	12	0.6	M5	50	1000	38*27*31	15.60
32	12	0.6	M5	50	500	38*27*24	9.57
35	12	0.6	M5	50	500	38*27*34	10.20
40	12	0.6	M5	50	500	38*27*29	11.10
50	12	0.6	M5	25	500	38*27*29	11.50
60	12	0.6	M5	25	250	38*27*24	6.90
8	15	0.8	M5	100	2000	38*27*21	14.60
10	15	0.8	M5	100	2000	38*27*24	15.20
13	15	0.8	M5	100	1000	38*27*21	9.60
16	15	0.8	M5	100	1000	38*27*24	10.50
20	15	0.8	M5	50	1000	38*27*27	11.20
25	15	0.8	M5	50	1000	38*27*29	13.20
30	15	0.8	M5	50	1000	38*27*31	14.50
35	15	0.8	M5	50	500	38*27*21	8.60
6	20	0.8	M5	100	1000	38*27*19	15.60
8	20	0.8	M5	100	1000	38*27*24	16.50
12	20	0.8	M5	50	500	38*27*15	9.45
14	20	0.8	M5	50	500	38*27*15	10.45
16	20	0.8	M5	50	500	38*27*19	11.43
18	20	0.8	M5	25	500	38*27*24	12.38
20	20	0.8	M5	25	500	38*27*24	13.00
22	20	0.8	M5	25	250	38*27*15	7.20
24	20	0.8	M5	25	250	38*27*15	7.36
26	20	0.8	M5	25	250	38*27*19	7.48
28	20	0.8	M5	25	250	38*27*19	8.28
30	20	0.8	M5	25	250	38*27*19	8.30
32	20	0.8	M5	25	250	38*27*24	8.55
38	20	0.8	M5	25	250	38*27*27	9.57

Note:

Band:

- 1.TORLG:W1-carton steel
- 2.TORLSS:W4-SS200 or SS300 series
- 3.TORLSSV: W5-SS316

Rubber:EPDM/Silicone/PVC and so on


Spring Hose Clip

Spring hose clip are self-tightening, sealing elements made from tempered spring band steel offering a high level of flexibility to ensure reliable, leak proof connection of a hose to a fitting.

Re-torque and re-adjustment are not required after installation.

Maintains constant tension throughout all pressure and fluid systems of almost any application.

Leak-proof solution for applications, ranging from -40°F - 392°F


Bag

Barcode Tagged

Carded

Box

Box

Carton


Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/ctn		
4	6	0.4	1000	10000	30*37*19	11.00
5	6	0.6	1000	10000	30*37*19	11.60
6	6	0.6	1000	10000	30*37*19	12.00
7	6	0.6	500	5000	27*22*18	6.40
8	8	0.7	500	5000	27*22*18	6.95
9	8	0.7	500	5000	27*22*18	7.20
9.5	8	0.7	500	5000	27*22*18	7.30
10	8	0.8	500	5000	27*22*18	7.45
10.5	8	0.8	500	5000	39*36*18	7.85
11	8	0.8	500	5000	39*36*18	8.20
11.5	8	0.8	500	5000	39*36*18	8.90
12	8	0.8	500	5000	39*36*18	9.55
12.5	8	0.8	500	5000	39*36*18	10.10
13	10	1.0	500	5000	39*36*18	10.60
13.5	10	1.0	100	2000	27*22*18	6.50
14	10	1.0	100	2000	27*22*18	6.90
14.5	10	1.0	100	2000	30*37*19	7.70
15	10	1.0	100	2000	30*37*19	8.40
16	12	1.0	100	2000	30*37*19	9.60
17	12	1.0	100	2000	30*37*19	10.20
18	12	1.0	100	2000	30*37*19	11.50
19	12	1.0	100	2000	30*37*19	12.50
20	12	1.0	100	2000	41*34*19	13.20
21	12	1.2	100	2000	41*34*19	13.65
23	12	1.2	100	2000	41*34*19	17.45
24	12	1.2	100	2000	41*34*19	17.95
25	12	1.2	100	2000	41*34*19	18.45
26	12	1.2	100	2000	41*34*19	19.00
27	15	1.5	100	1000	41*34*19	14.90
28	15	1.5	100	1000	41*34*19	16.50
29	15	1.5	100	1000	41*34*19	17.15
30	15	1.5	100	1000	41*34*19	17.40
33	15	1.8	100	1000	43*36*27	23.40
35	15	1.8	100	1000	43*36*27	24.20
36	15	1.8	100	1000	43*36*27	24.90
39	15	1.8	100	1000	41*34*31	27.40
42	15	1.8	50	500	41*34*19	14.45
44	15	1.8	50	500	41*34*19	15.90
45	15	1.8	50	500	41*34*19	16.80
47	15	2.0	50	500	41*34*23	18.60
52	15	2.0	25	250	27*22*18	11.00

Note:

- 1.TOSG:zinc-plated 65Mn spring steel
- 2.TOSD: dacromet 65Mn spring steel
- 3.TOSC:color-harden 65Mn spring steel

Double Wire Hose Clip

This clip was specially designed for use with hoses incorporating an outer helix, it is generally used when installing ventilation ducting or in white goods applications. The double-wire construction of this clip means that it sits comfortably on either side of the helix and can then be clamped down firmly thanks to the screw-tightening system. The maximum application pressure can vary depending on the type of hose used and the geometry of the coupling special diameters are available on request.



Dia (mm)	Wire Diameter (mm)	Screw (mm)	Package		Ctn Size (cm)	N.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
13-16	1.5	M6*35	100	1000	38*27*13	10.34
19-23	1.5	M6*35	100	1000	38*27*17	12.60
27-32	1.5	M6*35	100	1000	38*27*29	19.34
31-36	1.8	M6*40	100	500	38*27*24	13.56
41-45	1.8	M6*40	100	500	38*27*27	14.50
46-51	1.8	M6*40	100	500	38*27*29	15.10
52-60	2.0	M6*50	100	200	38*27*17	7.56
71-80	2.0	M6*50	50	200	38*27*21	9.32
81-90	2.0	M6*50	50	200	38*27*24	10.16
101-110	2.0	M6*50	50	200	38*27*29	12.10
115-125	2.0	M6*50	25	200	38*27*34	14.50

Note:
1.TOWG: W1-all the parts are carbon steel
2.TOWSS:W4-all the parts are SS200 or SS300 series


Double Wire Spring Hose Clamp



Dia (mm)	Wire Dia (mm)
10-12	1.20
11-16	1.20
14-19	1.50
18-22	1.50
20-25	2.00
24-29	2.00
27-32	2.00
33-38	2.50
39-44	2.50
45-51	3.00

Note
Material: 65Mn spring steel/stainless steel

France Double Wire Hose Clip



Bag



Barcode Tagged



Carded



Box



Box



Carton

Dia (mm)	Wire Diameter (mm)	Screw (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
13-16	2.0	M5*30	100	1000	38*27*13	13.00
16-19	2.0	M5*30	100	1000	38*27*17	16.00
19-23	2.0	M5*30	100	1000	38*27*21	18.00
23-26	2.5	M6*35	100	500	38*27*17	10.00
26-32	2.5	M6*35	100	500	38*27*17	12.50
32-38	2.5	M6*35	100	500	38*27*19	15.00
38-42	3.0	M8*40	50	500	38*27*21	18.23
42-48	3.0	M8*40	50	250	38*27*19	13.25
52-60	3.0	M8*40	50	250	38*27*24	14.50
58-66	3.0	M8*50	50	250	38*27*29	15.50
61-73	3.0	M8*50	25	250	40*37*30	16.00
74-80	3.0	M8*50	25	200	38*27*29	13.00
82-89	3.0	M8*50	25	200	38*27*34	14.00
92-98	3.0	M8*50	25	200	38*27*34	17.00
103-115	3.5	M8*60	10	200	40*37*30	20.00
115-125	3.5	M8*60	10	200	40*37*40	22.00

Note:

- 1.TOFWG: W1-all the parts are carbon steel
- 2.TOFWSS:W4-all the parts are SS200 or SS300 series

Single Ear Hose Clip

These clamps are lightweight and designed to concentrate the clamping force whilst being able to compensate for any changes in diameter due to thermal expansion.




Bag		Barcode Tagged		Carded		Box		Box		Carton	
Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)	Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package (Pcs/Ctn)	Ctn Size (cm)	G.W./Ctn (kg)
6.5	5	0.5	20000	38*27*12	16.60	17.5	7	0.6	5000	42*31.5*17	16.20
7	5	0.5	20000	38*27*12	17.90	17.8	7	0.6	5000	42*31.5*17	16.20
8	5	0.5	20000	38*27*12	18.60	18	7	0.6	5000	42*31.5*17	16.20
8.7	5	0.5	20000	38*27*12	20.84	18.5	7	0.6	5000	42*31.5*17	16.20
9	5	0.5	20000	38*27*14	19.80	19.2	7	0.6	5000	42*31.5*20	16.85
9.5	5	0.5	20000	38*27*14	22.16	19.8	7	0.6	5000	42*31.5*20	17.35
10	5	0.5	10000	38*27*14	10.50	21	7	0.6	5000	42*31.5*22	18.20
10.5	5	0.5	10000	38*27*14	11.00	22.6	7	0.6	5000	42*31.5*24	18.60
10.9	5	0.5	10000	38*27*14	11.20	23.5	7	0.6	5000	42*31.5*24	18.70
11.3	5	0.5	10000	38*27*14	12.20	24.1	7	0.6	5000	42*31.5*24	19.15
11.8	7	0.6	10000	38*27*14	12.50	25.6	7	0.6	5000	42*31.5*24	20.35
11.9	7	0.6	5000	38*27*14	12.15	27.1	7	0.6	5000	42*31.5*24	21.55
12.3	7	0.6	5000	38*27*14	12.25	28.6	7	0.6	5000	42*31.5*24	22.20
12.8	7	0.6	5000	38*27*14	12.40	30.1	7	0.6	5000	42*31.5*24	22.44
13.3	7	0.6	5000	38*27*17	12.55	30.8	7	0.6	2000	38*27*18	9.32
13.8	7	0.6	5000	38*27*17	12.70	31.6	7	0.6	2000	38*27*18	9.46
14	7	0.6	5000	38*27*17	12.80	33.1	7	0.6	2000	38*27*18	9.66
14.2	7	0.6	5000	38*27*17	12.85	34.6	7	0.6	2000	38*27*18	10.02
14.5	7	0.6	5000	38*27*17	13.20	36.1	7	0.6	2000	38*27*18	10.08
14.8	7	0.6	5000	38*27*17	13.40	37.6	7	0.6	2000	38*27*18	10.22
15.3	7	0.6	5000	38*27*17	13.70	38.1	7	0.6	2000	38*27*20	10.34
15.7	7	0.6	5000	38*27*18	13.75	39.6	7	0.6	2000	38*27*20	10.48
16.6	7	0.6	5000	42*31.5*17	16.10	41	7	0.6	1000	38*27*20	5.55
16.8	7	0.6	5000	42*31.5*17	16.20	42.5	7	0.6	1000	38*27*20	5.78
17.0	7	0.6	5000	42*31.5*17	15.60	44	7	0.6	1000	38*27*24	6.01

Note:
TOESS: W4-SS304

Adjustable Ear Clip

- Three dual hooks provide extra high force
- Waved band edge with dimples enhances band strength and avoids risk of breakage
- Burr-free strip edges reduce risk of damage to parts being clamped


Bag

Barcode Tagged

Carded

Box

Box


Carton

Dia (mm)	Bandwidth (mm)	Thickness (mm)
32	7	0.6
40	7	0.6
45	7	0.6
50	7	0.6
55	7	0.6
60	7	0.6
65	7	0.6
70	7	0.6
75	7	0.6
80	7	0.6
85	7	0.6
90	7	0.6
95	7	0.6
100	7	0.6
105	7	0.6
110	7	0.6
120	7	0.6
130	7	0.6
140	7	0.6
150	7	0.6

Note:
Material: SS200 or SS300 series

Double Ear Hose Clip

- For agriculture, automotive, aviation, material handling, marine, plant construction, medical equipment, welding equipment.
- High precision, Easy to use, pressure-proof, corrosion resistant
- All burrs/sharp edges removed for sealing hoses against loss of liquid, air or gases.




	 Bag	 Barcode Tagged	 Carded	 Box	 Box	 Bulk Carton
Dia (mm)	Bandwidth (mm)	Thickness (mm)	W1		W4	
			Bandwidth (mm)	Thickness (mm)	Bandwidth (mm)	Thickness (mm)
5-7	7.0	0.7	7.0	0.6	7.0	0.6
7-9	7.0	0.7	7.0	0.6	7.0	0.6
9-11	7.0	0.9	7.0	1.0	7.0	1.0
11-13	7.0	1.0	7.0	1.0	7.0	1.0
13-15	7.5	1.0	7.0	1.0	7.0	1.0
14-17	7.5	1.2	7.0	1.0	7.0	1.0
15-18	7.5	1.2	7.5	1.0	7.5	1.0
17-20	7.5	1.2	7.5	1.0	7.5	1.0
20-23	9.0	1.3	8.0	1.0	8.0	1.0
22-25	9.0	1.3	8.0	1.0	8.0	1.0
23-27	9.0	1.4	8.5	1.0	8.5	1.0
25-28	9.0	1.4	9.0	1.0	9.0	1.0
28-31	9.5	1.4	10.0	1.0	10.0	1.0
31-34	9.5	1.4	10.0	1.0	10.0	1.0
34-37	9.5	1.5	10.0	1.0	10.0	1.0
37-40	9.5	1.5	10.0	1.0	10.0	1.0

Note:
Material : 1.W1-carbon steel
2.W4-SS304

Mini Hose Clip

- Used in confined spaces
- Fixed nut for ease of tightening
- Rolled edge to prevent hose damage
- 6mm hexagonal head with screwdriver slot, 9mm bandwidth



Bag



Barcode Tagged



Carded



Box



Box



Carton

Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
6-8	9	0.6	200	2000	33*25*11	9.96
7-9	9	0.6	200	2000	38*27*11	10.32
8-10	9	0.6	200	2000	38*27*11	10.50
9-11	9	0.6	100	2000	38*27*11	11.18
10-12	9	0.6	100	2000	38*27*11	11.68
11-13	9	0.6	100	2000	38*27*14	11.84
12-14	9	0.6	100	2000	38*27*14	12.64
13-15	9	0.6	100	2000	38*27*16	12.68
14-16	9	0.6	100	2000	38*27*16	13.12
15-17	9	0.6	100	2000	38*27*16	13.28
16-18	9	0.6	100	2000	38*27*17	13.54
17-19	9	0.6	50	1000	38*27*11	7.00
18-20	9	0.6	50	1000	38*27*11	7.10
19-21	9	0.6	50	1000	38*27*11	7.18
20-22	9	0.6	50	1000	38*27*11	7.40
21-23	9	0.6	50	1000	38*27*14	7.43
22-24	9	0.6	50	1000	38*27*14	7.56
23-25	9	0.6	50	1000	38*27*14	7.61
24-26	9	0.6	50	1000	38*27*16	7.65
25-27	9	0.6	50	1000	38*27*16	8.00
26-28	9	0.6	50	1000	38*27*16	8.14
27-29	9	0.6	50	1000	38*27*17	8.56
28-30	9	0.6	50	1000	38*27*17	8.59
29-31	9	0.6	50	1000	38*27*19	8.64
30-32	9	0.6	50	1000	38*27*19	8.67
31-33	9	0.6	50	1000	38*27*19	9.07
32-34	9	0.6	50	1000	38*27*19	9.20

Note:

- 1.TOMNG: W1-all the parts are carbon steel
- 2.TOMNSS:W4-all the parts are SS304

British Type Bridge Hose Clamp



Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package	
			Pcs/Bag	Pcs/Ctn
30 -50	9	0.8	20	500
40 -60	9	0.8	20	500
50 -70	9	0.8	20	500
60 -80	9	0.8	20	500
70 -90	9	0.8	20	500
80 -100	9	0.8	20	200
90 -110	9	0.8	20	200
100 -120	9	0.8	20	200
110 -130	9	0.8	20	200
120 -140	9	0.8	20	200
130 -150	9	0.8	20	200

Note:

Material:

1. W2-screw is carbon steel,others are SS304

German Type Bridge Hose Clamp



Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package	
			Pcs/Bag	Pcs/Ctn
30 -50	9	0.6	20	500
40 -60	9	0.6	20	500
50 -70	9	0.6	20	500
60 -80	9	0.6	20	500
70 -90	9	0.6	20	500
80- 100	9	0.6	20	200
90- 110	9	0.6	20	200
100-120	9	0.6	20	200
110-130	9	0.6	20	200
120-140	9	0.6	20	200
130-150	9	0.6	20	200

Note:

Material:

1. W2-screw is carbon steel,others are SS304

2. W4-all the parts are SS200 or SS300 Series

British Type Quick Release Hose Clamp -3m Length




Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)		Thickness (mm)		Length (m)	
9/12		0.6		3	

30m Roll British Type Quick Release Hose Clamp



Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)		Thickness (mm)		Length (m)	
9/12		0.6		30	

British Type Quick Release Hose Clamp



Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)	Thickness (mm)	Dia (mm)			
9/12	0.6	90			
9/12	0.6	100			
9/12	0.6	125			
9/12	0.6	135			
9/12	0.6	165			
9/12	0.6	175			
9/12	0.6	180			
9/12	0.6	215			
9/12	0.6	225			
9/12	0.6	240			
9/12	0.6	260			
9/12	0.6	270			
9/12	0.6	280			
9/12	0.6	290			
9/12	0.6	300			
9/12	0.6	325			
9/12	0.6	380			
9/12	0.6	400			
9/12	0.6	450			
9/12	0.6	500			
9/12	0.6	550			

Note:


 Material :1.W3 - band is SS430, housing and screw are carbon steel
 2.W4 -all the parts are SS304

Roll American Type Quick Release Hose Clamp



Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)	Thickness (mm)		Length (m)		
8	0.6		3 / 30		
12.7	0.6		3 / 30		
14.2	0.6		3 / 30		

American Type Quick Release Hose Clamp




Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)	Thickness (mm)		Dia (mm)		
12.7 / 14.2	0.6		90		
12.7 / 14.2	0.6		100		
12.7 / 14.2	0.6		125		
12.7 / 14.2	0.6		135		
12.7 / 14.2	0.6		165		
12.7 / 14.2	0.6		175		
12.7 / 14.2	0.6		180		
12.7 / 14.2	0.6		215		
12.7 / 14.2	0.6		225		
12.7 / 14.2	0.6		240		
12.7 / 14.2	0.6		260		
12.7 / 14.2	0.6		270		
12.7 / 14.2	0.6		280		
12.7 / 14.2	0.6		290		
12.7 / 14.2	0.6		300		
12.7 / 14.2	0.6		325		
12.7 / 14.2	0.6		380		
12.7 / 14.2	0.6		400		
12.7 / 14.2	0.6		450		
12.7 / 14.2	0.6		500		
12.7 / 14.2	0.6		550		

Note:

Material : W4 -all the parts are SS200 or SS300 series

Punch-Lok Clamps


:Double wrapped and triple locked 'Punch-Lok' Clamps hold things tightly, tidily and permanently



Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)	Thickness (mm)		Dia (mm)		
12.7	0.6		25		
12.7	0.6		31		
12.7	0.6		38		
12.7	0.6		44		
12.7	0.6		50		
12.7	0.6		69		
12.7	0.6		88		
12.7	0.6		101		

CV Joint Dust Boot Clamps

- Help restore the vehicle to like-new condition
- Constructed of high strength OE materials
- Resists environmental contamination
- Protects the CV joint from premature failure
- Durable Strength & Professional Grade




Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)	Thickness (mm)		Length(mm)		
7	0.25		350		
7	0.25		750		

Note:

Material: SS200 or SS300 series

Tiger Pipe Clamp

- For counterclockwise spiral hoses
- Used in the agricultural, construction, and material handling industries.



Inch Dia	Steel Plate			Wire Diameter (mm)	Nut
	Bandwidth (mm)	Thickness (mm)	Length (mm)		
1.5"	85	2	40	4.3	M5
2"	100	2	42.5	4.3	M5
2.5"	125	2	45	5.2	M6
3"	135	2	45	5.2	M6
4"	62	3	176	6.9	M8
5"	62	3	220	6.9	M8
6"	72	3	275	8.8	M10
8"	74	3	350	8.8	M10
10"	75	3	420	8.8	M10
12"	75	3	500	8.8	M10

Note:
Material: W1-all the parts are carbon steel

C Clamp With Inner Washer



Inch Dia	Thickness (mm)
1/4"-1/2"	1.4
1/2"-3/4"	1.8

Note:
Material: SS304 and plastic

Carburetor Hose Clamp



		Bag	Barcode Tagged	Carded	Box	Box	Carton
Dia(mm)	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size(cm)	G.W./Ctn (kg)	
			Pcs/Bag	Pcs/Ctn			
44	9	0.5	10	1000	38*27*27	10.00	

Note:

Material: 65Mn spring steel

Base Plate With Nut

·For fixing in walls and roofs pipe clamps with threaded rods. Fastening through screws and dowels or rivets.



		Bag	Barcode Tagged	Carded	Box	Box	Carton
Bandwidth (mm)	Thickness (mm)	Length (mm)	Nut				
20	2.0	55	M8+10				
20	2.0	70	M8+10				

Note:

- W1-all the parts are carbon steel
- W4-all the parts are SS200 or SS300 series
- W5-all the parts are SS316

Expansion Anchor Plastic Tube With Bolt



		Bag	Barcode Tagged	Carded	Box	Box	Carton
Bolt Dia (mm)	Anchor Plastic Tube Dia (mm)						
M8*80	M10*50						
M10*100	M12*60						

Note:

Material :
Anchor plastic tube
Carbon steel bolt

Saddle Clamp With One Hole



Dia (mm)	Bandwidth (mm)	Thickness (mm)	Package		Ctn Size (cm)	G.W./Ctn (kg)
			Pcs/Bag	Pcs/Ctn		
20	20	1.2	50	1000	38*27*13	9.81
25	20	1.2	50	1000	38*27*21	14.80

Saddle Clamp



Dia (mm)	Inch Dia	Bandwidth (mm)	Thickness (mm)	Package	
				Pcs/Bag	Pcs/Ctn
20	1/2"	13	0.3	100	4000
25	3/4"	14	0.3	100	2500
32	1"	15	0.4	100	2000
40	1 - 1/4"	16	0.4	100	1000
50	1 - 1/2"	17	0.4	100	1000
63	2"	22	0.5	50	500
75	2 - 1/2"	22	0.5	50	500
90	3"	22	0.7	50	500
110	4"	22	0.7	25	500
66		25	1.8	25	250
95.5		25	1.8	25	250
111		25	1.8	25	250
155		25	1.8	25	250

Note:
Material
 1.W1-carbon steel
 2.W4-SS200 or SS300 Series

Nail Pipe Clip



 Bag	 Barcode Tagged	 Carded	 Box	 Box	 Carton
Bandwidth *Thickness		Dia		Bolt	
20*2.0mm		1/2"		M8*80	
20*2.0mm		3/4"		M8*80	
20*2.0mm		1"		M8*80	
20*2.0mm		1-1/4"		M8*80	
20*2.0mm		2"		M8*80	
20*2.0mm		2-1/2"		M8*80	
20*2.0mm		4"		M8*80	
20*2.5mm		6"		M8*80	

Note:
Material : galvanized steel

Nail Pipe Clip

Omega Clamps



 Bag	 Barcode Tagged	 Carded	 Box	 Box	 Carton
Bandwidth *Thickness		Dia		Hole	
20*2.0mm		80mm		M8	

Note:
Material :stainless steel

Exhaust Pipe Clamp



 Bag	 Barcode Tagged	 Carded	 Box	 Box	 Bulk
Dia (mm)	Pipe Length (mm)	Clamp Thickness (mm)			
43.5	125	2.5			
45	125	2.5			
48.5	125	2.5			
51	125	2.5			
56.5	125	2.5			
61	125	2.5			
65.5	125	2.5			
71	125	2.5			
76	125	2.5			

Note:

Material:

1.W1-all the parts are carbon steel

2.W4-all the parts are SS304

Pipe With Plastic Coating

Pipe material:Plastic/Metal

Pipe size:2**6M/3**6M/4**6M...12**6M

Coating material:EP/PE

Coating colour:Red/Yellow/Blue/Green/White/Black and so on



Camlock-Type A



Note:

- Material**
- 1.aluminium – AL
 - 2.SS300 series
 - 3.brass-BR
 - 4.polypropylene - PP(size from 1/2"-4")
 - 5.nylon -NY(size from 1/2"-4")

Bag Barcode Tagged Carded Box Box Carton		
Model	Dia	DN
Type-A	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
6"	150	
8"	200	

Camlock-Type B



Bag Barcode Tagged Carded Box Box Carton		
Model	Dia	DN
Type-B	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
	6"	150
	8"	200

Note:

Material

- 1.body is aluminium , handle is SS300 series or brass ,pin and ring are galvanized steel
- 2.body,handle,pin and ring are SS 300series
- 3.body is brass , handle is SS300 series or brass , pin and ring are galvanized steel
- 4.body is PP or Ny ,handle is SS300 series , pin and ring are galvanized steel(size from 1/2"-4")

Camlock-Type C



Note:

Material

1. body is aluminium, handle is SS300 series or brass, pin and ring are galvanized steel
2. body, handle, pin and ring are SS 300series
3. body is brass , handle is brass . pin and ring are galvanized steel
4. body is PP or Ny , handle is SS300 series , pin and ring are galvanized steel(size from 1/2"-4")

Model	Dia	DN
Type-C	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
6"	150	
8"	200	

Camlock-Type D



Model	Dia	DN
Type-D	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
	6"	150
	8"	200

Note:

Material

1. body is aluminium, handle is SS300 series or brass, pin and ring are galvanized steel
2. body, handle, pin and ring are SS 300series
3. body is brass , handle is brass . pin and ring are galvanized steel
4. body is PP or Ny , handle is SS300 series , pin and ring are galvanized steel(size from 1/2"-4")

Camlock-Type E



Note:

- Material
- 1.aluminium – AL
 - 2.SS300 series
 - 3.brass-BR
 - 4.polypropylene - PP(size from 1/2"-4")
 - 5.nylon -NY(size from 1/2"-4")

Bag Barcode Tagged Carded Box Box Carton		
Model	Dia	DN
Type-E	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
6"	150	
8"	200	

Camlock-Type F



Bag Barcode Tagged Carded Box Box Carton		
Model	Dia	DN
Type-F	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
6"	150	
8"	200	

Note:

- Material
- 1.aluminium – AL
 - 2.SS300 series
 - 3.brass-BR
 - 4.polypropylene - PP(size from 1/2"-4")
 - 5.nylon -NY(size from 1/2"-4")

Camlock-Type DC



Note:

Material

1. body is aluminium, handle is SS300 series or brass, pin and ring are galvanized steel
2. body, handle, pin and ring are SS 300series
3. body is brass , handle is brass . pin and ring are galvanized steel
4. body is PP or Ny , handle is SS300 series , pin and ring are galvanized steel(size from 1/2"-4")

Model	Dia	DN
Type-DC	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
	6"	150
	8"	200

Camlock-Type DP



Note:

Material

1. aluminium – AL
2. SS300 series
3. brass-BR
4. polypropylene - PP(size from 1/2"-4")
5. nylon -NY(size from 1/2"-4")

Model	Dia	DN
Type-DP	1/2"	15
	3/4"	20
	1"	25
	1-1/4"	32
	1 1/2"	40
	2"	50
	2-1/2"	65
	3"	80
	4"	100
	5"	125
	6"	150
	8"	200

SL Double Bolt Clamp



Note:
Material 1.carbon steel
2.malleable iron

Dia	DiDia(mm)
SL-22	20-22
SL-29	22-29
SL-34	28-34
SL-40	32-40
SL-49	39-49
SL-60	48-60
SL-76	60-76
SL-94	76-94
SL-115	94-115
SL-400	88-96
SL-463	96-103
SL-525	103-125
SL-550	114-128
SL-600	130-144
SL-675	151-165
SL-769	165-192
SL-818	192-208
SL-875	208-225
SL-988	225-239
SL-1125	252-289
SL-1275	300-330

SK Clamp



Dia
SK-22
SK-29
SK-34
SK-40

Note:
Material
1. carbon steel
2.malleable iron

KC Nipple



Note:
Material: 1. galvanized steel
2. ss/al/brass

Dia
1/2"
3/4"
1"
1-1/4"
1 1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"

Hose Menders



Note:
Material: 1. galvanized steel
2. ss/al/brass

Dia
1/2"
3/4"
1"
1-1/4"
1 1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"

Whip Check Safety Cables



Note:

- Material: 1.carbon steel
- 2.stainless steel

Bag	Barcode Tagged	Carded	Box	Box	Carton
Cable		Hose I.D.			Length
1/8"		1/2"-1 1/4"			20-1/4"
1/4"		1 1/2"-3"			38"
1/8"					24"
1/8"					28"
1/4"					28"
3/8"					44"

2&4 Bolt Clamp



Bag	Barcode Tagged	Carded	Box	Box	Carton
Dia		Two Bolt			Four Bolt
1/2"		√			/
3/4"		√			/
1"		/			√
1-1/4"		/			√
1 1/2"		/			√
2"		/			√
2-1/2"		/			√
3"		/			√
4"		/			√

Note:

Material: carbon steel

Air Hose Coupling



Dia
1/2"
3/4"
1"
1-1/4"
1 1/2"
2"
2-1/2"
3"
4"

Note:
Material:carbon steel

Ground Joint Coupling



Dia
1/2"
3/4"
1"
1-1/4"
1 1/2"
2"
2-1/2"
3"
4"

Note:
Material:carbon steel

Nylon Cable Tie



Bag



Barcode Tagged



Carded



Box



Box



Carton

Size (mm)	Package		Ctn Size(cm)	G.W./Ctn (kg)
	Pcs/Bag	Bag/Ctn		
2.5*60	100	700	54*33*32	12
2.5*80	100	600	54*33*32	12
2.5*100	100	500	54*33*32	17
2.5*120	100	450	54*33*32	15
2.5*150	100	350	54*33*32	14
2.5*200	100	350	54*33*32	20
3.6*150	100	250	54*33*32	19
3.6*180	100	220	54*33*32	19
3.6*200	100	200	54*33*32	19
3.6*250	100	170	54*33*32	21
3.6*280	100	160	54*33*32	22
3.6*300	100	150	54*33*32	22
3.6*370	100	120	54*33*32	22
4.8*120	100	200	54*33*32	15
4.8*180	100	160	54*33*32	22
4.8*200	100	130	54*33*32	18
4.5*200	100	150	54*33*32	17
4.8*250	100	120	54*33*32	21
4.5*250	100	120	54*33*32	16
4.8*300	100	100	54*33*32	20
4.5*300	100	100	54*33*32	18
4.8*350	100	80	54*33*32	20
4.8*380	100	75	54*33*32	20
4.8*400	100	75	54*33*32	22
4.8*450	100	70	54*33*32	22
4.8*530	100	50	54*33*32	23
8*150	100	80	54*33*32	18
8*200	100	80	54*33*32	19
8*250	100	70	54*33*32	20
8*300	100	60	54*33*32	21
8*350	100	50	54*33*32	20
8*400	100	50	54*33*32	24
8*450	100	40	54*33*32	21
8*500	100	30	54*33*32	20
9*350	100	18	80*25*21	18
9*650	100	12	80*25*21	17
9*760	100	10	80*25*21	14
9*900	100	20	128*40*15	26
9*1020	100	20	140*40*15	40

Note:

Material: Nylon 6/66

Stainless Steel Cable Tie



Bag



Barcode Tagged



Carded



Box



Box



Carton

Thickness (mm)	Size (mm)	Thickness (mm)	Size (mm)
0.25	4.6x100	0.25	11.5*150
0.25	4.6*130	0.25	11.5*200
0.25	4.6*150	0.25	11.5*250
0.25	4.6*200	0.25	11.5*300
0.25	4.6*250	0.25	11.5*350
0.25	4.6*300	0.25	11.5*400
0.25	4.6*350	0.25	11.5*450
0.25	4.6*400	0.25	11.5*500
0.25	4.6*450	0.40	16*550
0.25	4.6*500	0.40	16*600
0.25	7.9*550	0.40	16*650
0.25	7.9*600	0.40	16*700
0.25	7.9*650	0.40	16*750
0.25	7.9*700	0.40	16*800
0.25	7.9*750	0.40	16*850
0.25	7.9*800	0.40	16*900
0.25	7.9*850	0.40	16*950
0.25	7.9*900	0.40	16*1000
0.25	7.9*950	0.50	19*1100
0.25	7.9*1000	0.50	19*1200
0.25	10*1100	0.50	19*1300
0.25	10*1200	0.50	19*1400
0.25	10*1300	0.50	19*1500
0.25	10*1400	0.50	19*1600
0.25	10*1500	0.50	19*1700

Note
Material:Stainless Steel 304/316

Drywall Screw

- Good for repairing nail pops.
- Securing full sheets of drywall
- Tend to be brittle



Bag	Barcode Tagged	Carded	Box	Box	Carton	Carton	
Size (mm)	Inch Size	Size (mm)	Inch Size	Size (mm)	Inch Size	Size (mm)	Inch Size
3.5*13	#6*1/2	3.5*65	#6*2 -1/2	4.2*13	#8*1/2	4.2*102	#8*4
3.5*16	#6*5/8	3.5*75	#6*3	4.2*16	#8*5/8	4.8*51	#10*2
3.5*19	#6*3/4	3.9*20	#7*3/4	4.2*19	#8*3/4	4.8*65	#10*2 -1/2
3.5*25	#6*1	3.9*25	#7*1	4.2*25	#8*1	4.8*70	#10*2 -3/4
3.5*29	#6*1 -1/8	3.9*30	#7*1 -1/8	4.2*32	#8*1 -1/4	4.8*75	#10*3
3.5*32	#6*1 -1/4	3.9*32	#7*1 -1/4	4.2*34	#8*1 -1/2	4.8*90	#10*3 -1/2
3.5*35	#6*1 -3/8	3.9*35	#7*1 -1/2	4.2*38	#8*1 -5/8	4.8*100	#10*4
3.5*38	#6*1 -1/2	3.9*38	#7*1 -5/8	4.2*40	#8*1 -3/4	4.8*115	4.8*115
3.5*41	#6*1 -5/8	3.9*40	#7*1 -3/4	4.2*51	#8*2	4.8*120	#10*4 -3/4
3.5*45	#6*1 -3/4	3.9*45	#7*1 -7/8	4.2*65	#8*2 -1/2	4.8*125	#10*5
3.5*51	#6*2	3.9*51	#7*2	4.2*70	#8*2 -3/4	4.8*127	#10*5 -1/8
3.5*55	#6*2 -1/8	3.9*55	#7*2 -1/8	4.2*75	#8*3	4.8*150	#10*6
3.5*57	#6*2 -1/4	3.9*65	#7*2 -1/2	4.2*90	#8*3 -1/2	4.8*152	#10*6 -1/8

Note:

Material: steel

Surface Treatment: black/grey phosphated
yellow/ white zinc plated

Hexagon Socket Head Bolt



Bag	Barcode Tagged	Carded	Box	Box	Carton
Bolt Size		Length (mm)			
M6	10	25	45		
M8	60	70	80		
M10	90	100	110		

Note

Material: carbon steel /SS201/SS304/SS316

PVC Lay Flat Hose

With high strength polyester filament and high quality PVC, it is successfully winded , parted the threads regularly, and molded by plastic coated by one step .



Inch Size	Mm Size	M/Roll	WP 2 Bar	WP 3 Bar	WP 4 Bar
			Kg/Roll	Kg/Roll	Kg/Roll
3/4"	20	100	10.0	12.0	10.0
1"	25	100	12.0	13.0	14.0
1-1/4"	32	100	14.0	15.0	16.0
1-1/2"	38	100	18.0	20.0	19.0
2"	51	100	24.0	30.0	22.0
2-1/2"	64	100	31.0	37.0	30.0
3"	76	100	38.0	45.0	34.0
4"	102	100	52.0	58.0	52.0
5"	127	50	37.5	42.5	36.5
6"	152	50	45.0	52.5	43.0
8"	203	50	70.0	77.5	88.0
10"	254	50	115.0	125.0	130.0
12"	305	50	150.0	175.0	150.0



Also supply pvc steel wire reinforced hose , pvc helix suction hose ,gas hose, etc

Note:
Material:PV

Tape Measure



Dia :3m*16mm , 5m*19mm ,5m*25mm,7.5m*25mm,10m*25mm

Tips:

- New patented case design, elegant and noble
- Round shape, comfortable grip
- Unique built-in lock makes the ruler shell tightly closed, dust-proof and crack-proof
- The double brake design makes the tape placement easier
- Precise shell structure , the tape is retracted and released smoothly
- High-quality buffer gate protects the ruler hook from damage effectively
- Unique T-shaped decorative pattern, more dynamic and energetic



Dia :3m*16mm , 5m*19mm ,5m*25mm,7.5m*25mm,10m*25mm

Tips:

- New patented case design, elegant and noble
- Round shape, comfortable grip
- Unique built-in lock makes the ruler shell tightly closed, dust-proof and crack-proof
- The double brake design makes the tape placement easier
- Precise shell structure , the tape is retracted and released smoothly
- High-quality buffer gate protects the ruler hook from damage effectively
- Unique T-shaped decorative pattern, more dynamic and energetic

相关产品

Related Products



汽车，轮船，航空领域

Automotive, steamship, aviation application




建筑领域、消防领域

Construction, firefighting application



农业、灌溉领域

Agricultural, irrigation application



大型机械领域

Large machine application



THEONE

Tianjin TheOne Metal Products Co.,Ltd



团队

TEAM





THEONE[®]



Add: Dongtantou Village , Yanzhuang Town ,
Jinghai District , Tianjin City , China
Contact: Ammy Tel:86-22-68221979
Mobile:86-15222867341
WeChat/WhatsApp: 86-15222867341
Email: sun@theonemetal.cn
Web:www.theonehoseclamp.com

Tianjin TheOne Metal Products Co.,Ltd